Printing date 18.03.2015



Revision: 18.03.2015

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking - 1.1 Product identifier

- · Trade name: DryX Pre & Clean
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Application of the substance / the mixture
   Dry-cleaning
   Pre-brushing agent
   Detergent
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: SEITZ GmbH Gutenbergstrasse 3
  65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 msds@seitz24.com

www.seitz24.com

- Further information obtainable from: msds@seitz24.com
- 1.4 Emergency telephone number:
- GIZ-Nord, Göttingen, Germany + 49 551 19240 (Member of EPECS)

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC not applicable

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation.
- Precautionary statements

P280 Wear protective gloves / eye protection.

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

GB

Printing date 18.03.2015

Version number 2

#### Trade name: DryX Pre & Clean

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Dangerous	components:
-------------	-------------

	Lludragarhana C11 C11 iggellignes gueling 20/	. 4 5 0/
EC number: 927-285-2	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2%	< 15%
Reg.nr.: 01-2119480162-45-xxxx		
	Xn R65	
	R66	
	Asp. Tox. 1, H304	
CAS: 69011-36-5	isotridecanol, ethoxylated	< 2.5%
Polymer	Xi R41	
	Eye Dam. 1, H318; Aquatic Chronic 3, H412	
· Regulation (EC) No 648/2004 - I	_abelling for contents	
non-ionic surfactants		15 - 30%
aliphatic hydrocarbons		5 - 15%

• Additional information For the wording of the listed risk phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of problems.
- · After skin contact Immediately rinse with water.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

(Contd. on page 3)



(Contd. of page 1)

Printing date 18.03.2015

Version number 2

Revision: 18.03.2015

(Contd. of page 2)

#### Trade name: DryX Pre & Clean

#### · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
   Avoid contact with skin and eyes.
   Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Keep away from heat and direct sunlight. Avoid contact with eyes and skin. Ensure adequate ventilation
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Protect from heat and direct sunlight. Store in cool, dry conditions in well sealed receptacles. Protect from frost. Time of storage: max. 24 month
- 7.3 Specific end use(s) Dry-cleaning

# **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Avoid contact with the eyes and skin.
- Do not eat, drink, smoke or sniff while working.
- Do not inhale gases / vapours / aerosols.

(Contd. on page 4)





Printing date 18.03.2015

Version number 2

Revision: 18.03.2015

# Trade name: DryX Pre & Clean

Respiratory protection:	(Contd. of page
Use suitable respiratory protective device in case of insufficient vent workplace limit values, formation of aerosols).	ilation (exceeding the
Protection of hands:	
Protective gloves.	
The glove material has to be impermeable and resistant to the produce preparation.	ict/ the substance/ the
Material of gloves	
Nitrile rubber, NBR	
The selection of the suitable gloves does not only depend on the ma of quality and varies from manufacturer to manufacturer. As the proc substances, the resistance of the glove material can not be calculate therefore to be checked prior to the application.	duct is a preparation of severa
Penetration time of glove material	
The exact break trough time has to be found out by the manufacture has to be observed	r of the protective gloves and
• For the permanent contact of a maximum of 15 minutes gloves	made of the following
materials are suitable:	U
Nitrile rubber, NBR	
Recommended thickness of the material: > 0.4 mm	
As protection from splashes gloves made of the following mate	rials are suitable:
Nitrile rubber, NBR	
Recommended thickness of the material: $\geq 0.4$ mm	
• Eye protection: Safety glasses	
• Body protection: Protective work clothing	

SECTION 9: Physical and cher	mical properties	
· 9.1 Information on basic physical and chemical properties		
· Appearance:		
Form:	Fluid	
Colour:	Yellow	
· Odour:	Product specific	
· Odour threshold:	No further relevant information available.	
· pH-value (100 g/l) at 20 °C:	~ 7.5	
· Change in condition		
Melting point/Melting range:	undetermined	
Boiling point/Boiling range:	undetermined	
· Flash point:	> 95 °C (EN 22719)	
· Flammability (solid, gaseous)	No further relevant information available.	
· Ignition temperature:	No further relevant information available.	
· Decomposition temperature:	No further relevant information available.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	No further relevant information available.	
Upper:	No further relevant information available.	
<ul> <li>Oxidising properties</li> </ul>	No further relevant information available.	
	(Contd. on page 5	

Printing date 18.03.2015

Version number 2

#### Trade name: DryX Pre & Clean

	(Contd. of page
· Vapour pressure:	No further relevant information available.
· Density at 20 °C:	~ 0.91 g/cm3 (ISO 2811)
· Relative density	No further relevant information available.
· Vapour density	No further relevant information available.
Evaporation rate	No further relevant information available.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
· Segregation coefficient (n-octonol/	water): No further relevant information available.
· Viscosity:	
dynamic:	No further relevant information available.
kinematic at 40 °C:	> 20.5 mm²/s
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Stable under normal ambient conditions.
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity:

#### · LD/LC50 values relevant for classification:

Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics

- Oral LD50 > 5000 mg/kg (rat)
- Dermal LD50 > 5000 mg/kg (rabbit)

#### 69011-36-5 isotridecanol, ethoxylated

#### Oral LD50 > 2000 mg/kg (rat)

- Dermal LD50 > 2000 mg/kg (rabbit)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitisation: No sensitising effects known.
- · Repeated dose toxicity No further relevant information available.
- $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

(Contd. on page 6)

GB



Printing date 18.03.2015

Version number 2

Revision: 18.03.2015

#### Trade name: DryX Pre & Clean

(Contd. of page 5)

# SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

#### Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics

EC50 (48h) > 1000 mg/l (Aquatic invertebrates)

EC50 (72h) > 1000 mg/l (Aquatic plants, algae)

LC50 (96h) > 1000 mg/l (Fish)

#### 69011-36-5 isotridecanol, ethoxylated

EC50 (48h) > 1 - 10 mg/l (Aquatic invertebrates) (Daphnia magna)

- EC50 (72h) > 1 10 mg/l (Aquatic plants, algae) (Desmodesmus subspicatus)
- LC50 (96h) > 1 10 mg/l (Fish) (OECD 203)
- NOEC 0.37 mg/l (Aquatic invertebrates) (21 d, Daphnia magna)
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Disposal must be made according to official regulations.

· Waste disposal key:

The assignment of waste codes in accordance with European Waste Catalogue (EWC) is tradeand process-specific and has to be made in compliance with national and local regulations.

# SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 7)



<sup>·</sup> Uncleaned packaging:

<sup>•</sup> Recommendation: Disposal must be made according to official regulations.

Printing date 18.03.2015

Version number 2

#### Trade name: DryX Pre & Clean

	(Contd. of page 6
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Transport in bulk according to Annex l of MARPOL73/78 and the IBC Code</li> </ul>	II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

#### **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- National regulations
- · Other regulations, limitations and prohibitive regulations
- Other information: Product is for professional use only.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

R41 Risk of serious damage to eyes.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 • \* Data compared to the previous version altered.



