

Page 1/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Trade name: Sigma Intense

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture
- Dry-cleaning Detergent

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

SEITZ GmbH Gutenbergstrasse 1 - 3 65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 order@seitz24.com www.seitz24.com

· Further information obtainable from: sds@seitz24.com

· 1.4 Emergency telephone number: GIZ-Nord, Göttingen, Germany + 49 551 19240

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

- Eye Dam. 1 H318 Causes serious eye damage.
- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

### · Hazard-determining components of labelling:

docusate sodium Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics Alcohols, C12-14, ethoxylated, phosphate 1-aminopropan-2-ol

GB



Page 2/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

(Contd. of page 1)

### Trade name: Sigma Intense

### · Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H304 May be fatal if swallowed and enters airways. • **Precautionary statements** 

#### Precautionary statem

 P280
 Wear protective gloves / eye protection.

 P301+P310
 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

 P331
 Do NOT induce vomiting.

 P302+P352
 IF ON SKIN: Wash with plenty of water.

 P305+P351+P338
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P310
 Immediately call a POISON CENTER/doctor.

 2.3 Other hazards
 Description of DPT end wPresent and easy to do.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

**vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

<ul> <li>Dangerous components:</li> </ul>		
EC number: 927-285-2 Reg.nr.: 01-2119480162-45-xxxx		25 – 50%
	Asp. Tox. 1, H304	
CAS: 577-11-7	docusate sodium	< 15%
EINECS: 209-406-4 Reg.nr.: 01-2119491296-29-xxxx	Eye Dam. 1, H318; Skin Irrit. 2, H315	
CAS: 68511-37-5	Alcohols, C12-14, ethoxylated, phosphate	< 10%
Polymer	Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 69011-36-5	isotridecanol, ethoxylated	< 5%
NLP: 500-241-6	Aquatic Chronic 3, H412	
Reg.nr.: 01-2119976362-32-xxxx		
CAS: 69011-36-5	isotridecanol, ethoxylated	< 2%
Polymer	Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
	Eye Irrit. 2; H319: 1 % ≤ C < 10 %	
CAS: 78-96-6	1-aminopropan-2-ol	< 2%
EINECS: 201-162-7 Reg.nr.: 01-2119475331-43-xxxx	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H312	
CAS: 68439-50-9	Alcohols, C12-14, ethoxylated	< 1%
Polymer	Aquatic Acute 1, H400; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	
Regulation (EC) No 648/2004 - L	abelling for contents	•
aliphatic hydrocarbons	2	30%



Page 3/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

### Trade name: Sigma Intense

	(Contd. of page 2)
anionic surfactants	≥15 - <30%
non-ionic surfactants	≥5 - <15%
perfumes (BUTYLPHENYL METHYLPROPIONAL, AMYL CINNAMAL, HEXYL CINNAMAL, CINNAMYL ALCOHOL)	

• Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of problems.
- After skin contact Immediately rinse with water. If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing
   Rinse out mouth and then drink plenty of water.
   Do not induce vomiting: call for medical help immediate
- Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Eye damage
- Skin irritation

If swallowed or in case of vomiting, danger of entering the lungs.

• 4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment:
- Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

- · Additional information
- Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

GB



Page 4/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

(Contd. of page 3)

### Trade name: Sigma Intense

Ensure adequate ventilation Do not breathe gases/ vapours. Avoid contact with skin and eyes. Keep away from ignition sources

- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Send for recovery or disposal in suitable receptacles.

#### **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with eyes and skin.
 Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.

- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.

### • Further information about storage conditions:

Protect from heat and direct sunlight. Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area. Protect from frost.

- Time of storage: max. 24 month
- · Storage class 12
- · 7.3 Specific end use(s) Dry-cleaning

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 5)

GB



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

GB

# Trade name: Sigma Intense

(Contd. of page		
Keep away from foodstuffs, beverages and feed.		
Do not eat, drink, smoke or sniff while working.		
Immediately remove all soiled and contaminated clothing.		
Wash hands before breaks and at the end of work.		
Avoid contact with the eyes and skin.		
Do not inhale gases / vapours / aerosols.		
· Respiratory protection:		
Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplac limit values, formation of aerosols).		
Combination filter ABEK-P2		
Protection of hands:		
Protective gloves.		
The glove material has to be impermeable and resistant to the product/ the substance/ the		
preparation.		
· Material of gloves		
Nitrile rubber, NBR		
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore		
to be checked prior to the application.		
· Penetration time of glove material		
The exact break trough time has to be found out by the manufacturer of the protective gloves and		
has to be observed.		
As protection from splashes gloves made of the following materials are suitable:		
Nitrile rubber, NBR		
Recommended thickness of the material: $\geq$ 0.4 mm		
Eye protection: Tightly sealed goggles.		
· Body protection: Protective work clothing		
SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and chemical properties		
General Information		

· Appearance:	
Form:	Fluid
Colour:	Light yellow
· Odour:	Product specific
· Odour threshold:	No further relevant information available.
<sup>·</sup> pH-value (100 g/l) at 20 °C:	7.2
· Change in condition	
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	undetermined
· Flash point:	> 95 °C (EN 22719)
· Flammability (solid, gaseous)	No further relevant information available.
· Ignition temperature:	No further relevant information available.
	(Contd. on page 6



Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

### Trade name: Sigma Intense

	(Contd. of page	
Decomposition temperature:	No further relevant information available.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
Explosion limits:		
Lower:	No further relevant information available.	
Upper:	No further relevant information available.	
Oxidising properties	No further relevant information available.	
Vapour pressure:	No further relevant information available.	
Density at 20 °C:	~ 0.92 g/cm3 (ISO 2811)	
Relative density	No further relevant information available.	
Vapour density	No further relevant information available.	
Evaporation rate	No further relevant information available.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Segregation coefficient (n-octonol/	water): No further relevant information available.	
Viscosity:		
dynamic:	No further relevant information available.	
kinematic at 40 °C:	< 20.5 mm/s²	
9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability
- Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

### ATE (Acute Toxicity Estimates)

Dermal LD50 139,173 mg/kg

(Contd. on page 7)

GB



Page 7/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

### Trade name: Sigma Intense

	(Contd. of page
-	bons, C11-C14, isoalkanes, cyclics, < 2% aromatics
Oral	LD50 > 5,000 mg/kg (rat)
Dermal	LD50 > 5,000 mg/kg (rabbit)
CAS: 577-	11-7 docusate sodium
Oral	LD50 > 2,100 mg/kg (rat)
Dermal	LD50 > 10,000 mg/kg (rabbit)
CAS: 690	11-36-5 isotridecanol, ethoxylated
Oral	LD50 > 2,000 mg/kg (rat) ((Literaturwert))
Dermal	LD50 > 2,000 mg/kg (rat) (OECD 402 (Literaturwert))
Inhalative	LC50 > 1.6 mg/l (rat) (4 h; OECD 403)
CAS: 690 <sup>2</sup>	11-36-5 isotridecanol, ethoxylated
Oral	LD50 > 5,000 mg/kg (rat) (OECD 401)
Dermal	LD50 > 5,000 mg/kg (/)
CAS: 78-9	6-6 1-aminopropan-2-ol
Oral	LD50 4,260 mg/kg (rat)
Dermal	LD50 1,851 mg/kg (rabbit)
CAS: 6843	39-50-9 Alcohols, C12-14, ethoxylated
Oral	LD50 > 2,000 mg/kg (rat)
Dermal	LD50 > 2,000 mg/kg (rabbit)
	osion/irritation
	in irritation.
	<b>ye damage/irritation</b> erious eye damage.
	<b>ry or skin sensitisation</b> Based on available data, the classification criteria are not met.
	cts (carcinogenity, mutagenicity and toxicity for reproduction)
Germ cell	mutagenicity Based on available data, the classification criteria are not met.
	enicity Based on available data, the classification criteria are not met.
	tive toxicity Based on available data, the classification criteria are not met.
· STOT-sin	gle exposure Based on available data, the classification criteria are not met.
	eated exposure Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· Aquatic toxicity:	
Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics	
EC50 (48h) > 1,000 mg/l (Aquatic invertebrates)	
EC50 (72h) > 1,000 mg/l (Aquatic plants, algae)	
LC50 (96h) > 1,000 mg/l (Fish)	
	(Contd. on page



Page 8/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

### Trade name: Sigma Intense

(Contd. of page 7)
IS)
tus; QSAR)
catus; OECD 201)
D 202)
)
icatus)
gradability criteria as
assertion are held at
le available to them,

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste. Disposal must be made according to official regulations.

(Contd. on page 9)

GB



Page 9/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

### Trade name: Sigma Intense

#### · Waste disposal key:

(Contd. of page 8)

The assignment of waste codes in accordance with European Waste Catalogue (EWC) is tradeand process-specific and has to be made in compliance with national and local regulations.

### · Uncleaned packaging:

### · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

SECTION 14: Transport informat	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Transport in bulk according to Ani of Marpol and the IBC Code</li> </ul>	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

**National regulations** 

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· Other information: Product is for professional use only.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)



Page 10/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2019

Version number 3.00

Revision: 17.07.2019

# Trade name: Sigma Intense

(Contd. of page 9)

	ECTION 16: Other information
	is information is based on our present knowledge. However, this shall not constitute a guarante
tor	any specific product features and shall not establish a legally valid contractual relationship.
Re	levant phrases
H3	04 May be fatal if swallowed and enters airways.
	12 Harmful in contact with skin.
	14 Causes severe skin burns and eye damage.
	15 Causes skin irritation.
	18 Causes serious eye damage.
	19 Causes serious eye irritation.
	00 Very toxic to aquatic life.
	12 Harmful to aquatic life with long lasting effects.
	assification according to Regulation (EC) No 1272/2008
	assification of mixtures based on ingredients of the mixture, applying calculation method of
	sessing health and environmental hazards
	breviations and acronyms:
	R: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
	rnational Carriage of Dangerous Goods by Road)
	DG: International Maritime Code for Dangerous Goods
	A: International Air Transport Association
	S: Globally Harmonised System of Classification and Labelling of Chemicals
	IECS: European Inventory of Existing Commercial Chemical Substances NCS: European List of Notified Chemical Substances
	S: Chemical Abstracts Service (division of the American Chemical Society)
	50: Lethal concentration, 50 percent
	50: Lethal dose, 50 percent
	T: Persistent, Bioaccumulative and Toxic
	HC: Substances of Very High Concern /B: very Persistent and very Bioaccumulative
	te Tox. 4: Acute toxicity – Category 4
	n Corr. 1B: Skin corrosion/irritation – Category 1B
Skir	n Irrit. 2: Skin corrosion/irritation – Category 2
	Dam. 1: Serious eye damage/eye irritation – Category 1
	e Irrit. 2: Serious eye damage/eye irritation – Category 2
	<ul> <li>D. Tox. 1: Aspiration hazard – Category 1         Jatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1     </li> </ul>
	atic Active 1. Hazardous to the aquatic environment - active aquatic hazard – Category 1 atic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
	ata compared to the previous version altered.