

Solvex 1

Pre- and post-spotting agent for use in Hydrocarbon Solvent

Solvex 1 solubilizes paint, lacquer, adhesives, smear, ballpoint pen, tar, nail polish, lipstick, ink and similar grease-bound stains.

Physico-chemical data:

Consistency:	homogeneous liquid	
Flash point:	73 °C	
pH-value:	6,0 – 8,0	(100 g/ l)
Density:	~0,925 g/ml	(20°C)

Application:

Apply **Solvex 1** on the stain and treat with a soft brush. In case of aged stains or stains difficult to remove, let react longer time. Frequently remoisten the stained area to intensify the solubilizing power.

When used in prespotting, rinse in the machine and, on the post-spotting table rinse with water or steam.

Attention:

Do not use on coatings or laminations as this might cause damages.

In case of sensitive textiles, dyes and prints, we recommend to try the product reaction on the seam prior to spotting.

Do not intermix spotting agents !

Properties:

Stain-removal	☺ ☺ ☺ ☺
Colour protection	☺ ☺ ☺ ☺
Fibre protection	☺ ☺ ☺ ☺
Rinsability in water / steam	☺ ☺ ☺ ☺ ☺
Rinsability in the machine	HC
Pre-spotting	YES

☺ ☺ ☺ ☺ ☺ = maximum result

Storage conditions: To be stored in a cool and dry place, protected from frost.
Protect from heat and direct sunshine.
Container to be tightly closed after product withdrawal.

Max. storage time: 18 months